

## Drugs used during sex in the Panhandle of Texas

The following Tables identify the proportion of clients prevention counseled in 1999 who indicated a specific drug use during sexual or needle sharing activities in the previous year.

### Lubbock

#### White

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Drug use	79.5%	82.3%	84.8%	65.3%	68.2%
Heroin	2.5%	29.0%	15.2%	4.2%	1.8%
Cocaine	22.1%	58.1%	54.5%	18.5%	11.3%
Marijuana	37.7%	64.5%	60.6%	38.7%	32.0%
Alcohol	77.9%	69.4%	60.6%	58.2%	63.3%
Amphetamines	17.2%	61.3%	60.6%	16.7%	9.2%
Inhalants	8.2%	29.0%	15.2%	6.6%	3.7%
Other drugs	4.9%	8.1%	9.1%	4.6%	2.9%

#### African American

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Drug use	37.5%	60.0%	85.7%	61.6%	61.7%
Heroin		30.0%	28.6%	1.5%	0.9%
Cocaine	12.5%	40.0%	85.7%	17.2%	25.2%
Marijuana	25.0%	40.0%	14.3%	35.9%	33.6%
Alcohol	25.0%	60.0%	57.1%	42.9%	43.0%
Amphetamines		30.0%	14.3%	5.6%	5.6%
Inhalants		20.0%		4.5%	
Other drugs		10.0%		0.5%	0.9%

#### Hispanic

	Galveston M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Drug use	71.8%	80.0%	100.0%	63.8%	61.6%
Heroin		53.3%	50.0%	3.9%	1.2%
Cocaine	23.1%	63.3%	60.0%	27.3%	20.1%
Marijuana	28.2%	70.0%	70.0%	43.3%	36.0%
Alcohol	62.8%	66.7%	60.0%	55.2%	54.9%
Amphetamines	6.4%	36.7%	30.0%	11.6%	6.7%
Inhalants	2.6%	40.0%	20.0%	13.9%	8.5%
Other drugs	2.6%	10.0%	10.0%	7.1%	3.0%

**Amarillo**

**White**

	<b>M/MS</b>	<b>IDU</b>		<b>F/MS</b>	
	<b>Male</b>	<b>Male</b>	<b>Female</b>	<b>Male</b>	<b>Female</b>
Drug use	56.8%	95.4%	95.6%	64.1%	50.1%
Heroin	2.3%	15.8%	24.9%	2.7%	1.3%
Cocaine	9.8%	38.0%	56.1%	12.9%	10.0%
Marijuana	24.2%	38.4%	43.9%	27.1%	18.0%
Alcohol	47.0%	43.7%	51.7%	35.9%	38.4%
Amphetamines	6.1%	33.5%	45.4%	9.2%	5.5%
Inhalants	4.5%	9.9%	12.7%	3.4%	1.6%
Other drugs	6.8%	13.0%	17.1%	4.7%	1.3%

**African American**

	<b>M/MS</b>	<b>IDU</b>		<b>F/MS</b>	
	<b>Male</b>	<b>Male</b>	<b>Female</b>	<b>Male</b>	<b>Female</b>
Drug use	59.4%	88.2%	89.7%	61.7%	49.5%
Heroin		20.6%	13.8%	0.3%	1.4%
Cocaine	21.9%	35.3%	44.8%	11.4%	13.8%
Marijuana	31.3%	41.2%	37.9%	23.9%	20.8%
Alcohol	40.6%	50.0%	48.3%	37.8%	31.1%
Amphetamines		5.9%	13.8%	1.4%	1.1%
Inhalants	3.1%	2.9%	3.4%	0.8%	1.1%
Other drugs	3.1%	5.9%	10.3%	0.5%	0.4%

**Hispanic**

	<b>M/MS</b>	<b>IDU</b>		<b>F/MS</b>	
	<b>Male</b>	<b>Male</b>	<b>Female</b>	<b>Male</b>	<b>Female</b>
Drug use	64.2%	89.1%	92.1%	67.3%	47.8%
Heroin		15.2%	31.6%	2.5%	1.3%
Cocaine	13.2%	30.4%	44.7%	17.4%	8.6%
Marijuana	26.4%	37.0%	47.4%	32.1%	19.0%
Alcohol	50.9%	39.1%	50.0%	42.7%	39.0%
Amphetamines	3.8%	26.1%	36.8%	10.3%	3.8%
Inhalants	5.7%	13.0%	13.2%	5.9%	1.7%
Other drugs	3.8%	6.5%	15.8%	3.7%	1.1%

**Permian Basin**

**White**

	<b>M/MS</b>	<b>IDU</b>		<b>F/MS</b>	
	<b>Male</b>	<b>Male</b>	<b>Female</b>	<b>Male</b>	<b>Female</b>
Drug use	84.7%	85.2%	85.4%	57.1%	56.9%
Heroin	0.9%	32.9%	40.4%	1.7%	1.1%
Cocaine	20.7%	69.1%	71.9%	22.1%	14.8%
Marijuana	45.9%	45.6%	46.1%	26.3%	31.4%
Alcohol	84.7%	71.8%	64.0%	54.6%	50.9%
Amphetamines	4.5%	36.9%	38.2%	5.0%	4.6%
Inhalants	0.9%	8.7%	7.9%	3.3%	2.1%
Other drugs	4.5%	10.7%	12.4%	2.5%	5.7%

**African American**

	<b>M/MS</b>	<b>IDU</b>		<b>F/MS</b>	
	<b>Male</b>	<b>Male</b>	<b>Female</b>	<b>Male</b>	<b>Female</b>
Drug use	50.0%	85.5%	93.3%	73.0%	64.7%
Heroin		8.1%	13.3%	2.0%	1.2%
Cocaine	12.5%	79.0%	80.0%	33.8%	32.9%
Marijuana	37.5%	19.4%	33.3%	40.5%	28.2%
Alcohol	50.0%	67.7%	66.7%	66.2%	51.8%
Amphetamines		3.2%			
Inhalants				0.7%	
Other drugs			6.7%		

**Hispanic**

	<b>M/MS</b>	<b>IDU</b>		<b>F/MS</b>	
	<b>Male</b>	<b>Male</b>	<b>Female</b>	<b>Male</b>	<b>Female</b>
Drug use	59.6%	78.9%	72.7%	58.8%	35.8%
Heroin	3.5%	42.1%	30.3%	1.9%	0.8%
Cocaine	22.8%	48.4%	51.5%	24.5%	8.6%
Marijuana	29.8%	40.0%	21.2%	36.2%	15.6%
Alcohol	54.4%	61.1%	51.5%	53.1%	31.9%
Amphetamines	5.3%	8.4%	3.0%	3.1%	0.8%
Inhalants		3.2%		6.9%	1.2%
Other drugs	1.8%	4.2%		2.2%	1.2%

**Rural Panhandle****White**

	<b>M/MS</b>	<b>IDU</b>		<b>F/MS</b>	
	<b>Male</b>	<b>Male</b>	<b>Female</b>	<b>Male</b>	<b>Female</b>
Drug use	43.5%	91.4%	90.9%	67.0%	31.5%
Heroin		21.9%	15.9%	3.4%	0.2%
Cocaine		55.2%	43.2%	22.2%	3.8%
Marijuana	8.7%	53.3%	29.5%	36.4%	12.6%
Alcohol	26.1%	57.1%	40.9%	46.7%	24.3%
Amphetamines		48.6%	45.5%	14.2%	2.1%
Inhalants		20.0%	6.8%	6.5%	1.3%
Other drugs	4.3%	18.1%	9.1%	6.9%	1.1%

**African American**

	<b>M/MS</b>	<b>IDU</b>		<b>F/MS</b>	
	<b>Male</b>	<b>Male</b>	<b>Female</b>	<b>Male</b>	<b>Female</b>
Drug use	66.7%	83.3%	75.0%	79.3%	38.6%
Heroin		16.7%	50.0%	1.8%	1.2%
Cocaine		33.3%	50.0%	26.1%	12.0%
Marijuana	16.7%	16.7%	50.0%	47.7%	20.5%
Alcohol	33.3%	16.7%	25.0%	52.3%	24.1%
Amphetamines			75.0%	2.7%	2.4%
Inhalants	16.7%			3.6%	1.2%
Other drugs			25.0%	7.2%	1.2%

**Hispanic**

	<b>M/MS</b>	<b>IDU</b>		<b>F/MS</b>	
	<b>Male</b>	<b>Male</b>	<b>Female</b>	<b>Male</b>	<b>Female</b>
Drug use	76.0%	93.8%	83.3%	72.4%	17.2%
Heroin		39.6%	25.0%	2.6%	0.2%
Cocaine	24.0%	72.9%	66.7%	30.7%	4.0%
Marijuana	52.0%	75.0%	25.0%	44.0%	8.0%
Alcohol	68.0%	66.7%	41.7%	52.6%	15.0%
Amphetamines	8.0%	37.5%	25.0%	8.8%	1.2%
Inhalants	12.0%	18.8%		11.6%	0.5%
Other drugs	8.0%	25.0%	8.3%	6.0%	1.0%